New Zealand Department of Agriculture,
Industries, and Commerce.

THE

# JOURNAL

OF

# AGRICULTURE.

Published by direction of the
Right Hon. W. F. MASSEY, P.C., Minister of Agriculture,
Industries, and Commerce.

VOL. VIII.

IMPERIAL BUREAU
26 NOV. 1921
OF MYCOLOGY

WELLINGTON.
BY AUTHORITY: JOHN MACKAY, GOVERNMENT PRINTER.

1914.

Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_1914_8_indexcontents

# JOURNAL

OF

# AGRICULTURE.

## VOLUME VIII.

## GENERAL INDEX.


A.

Abortion in heifer, 550.
Act, the American Tariff, 311.
Adulteration of butter, 335.
Afforestation, private, *Pinus radiata*, 23.
Age influence of, on quality of progeny, 411.
Agriculture—
  Abroad, 76, 144.
  Department of, U.S.A., 118.
  Electricity in agriculture, 512.
  World's wheat and meat production, 76.
Agricultural—
  Education, 118, 217.
    In Germany, 183.
  Publications, 210.
  Show at The Hague, Holland, 144.
  Show dates, 81.
Ailments of dairy cows, 679.
Alfalfa (lucerne) and apples, 79.
Alsike clover, 256.
  Feeding-value of, 331.
America, position of world's meat-supply in, 464.
American—
  Department of Agriculture, 118.
  Government action of, in connection with Honolulu farmer, 413.
  Regulations regarding importation of meat, 119.
  Tariff Act, the, 311.
Answers to correspondents, 100, 208, 328, 435, 541, 677.
Apiaries Act Amendment, 640.
Apiary, the, 656.
  Colony, the, 532.
  Combs, 534.
  Development of the bee, 532.
  Honey, 533.
  Outfit for, 531.
  Pollen, 533.
Apiary, the—*continued.*
  Propolis, 534.
  Supposed injury of fruit by bees 534.
  To intending beekeepers, 530.
  Wax, 533.
Apiculture—
  Advancement of type, 85.
  Australian beekeeping, 191.
  Bees taking possession of wall of house, 109.
  Clarifying wax, 426.
  Cleanliness, 315, 426.
  Directions for work, 86.
  Examining liver, 107.
  Extracting honey, 86.
  Extracting-house, 189.
  Foul-brood, 314.
  Fumigating, 426.
  Granulation, 427.
  Honey imported into United Kingdom, 121.
  Leaky covers, 425.
  New use for bee-stings, 191.
  Prior rights, 86.
  Queen bees, 189.
  Shelter, 426.
  Spread of the industry, 85.
  Taking honey from the hives, 109.
  Testing wax for impurities, 426.
  Winter stores, 315.
Apple-blight, 105.
Apple-growing, 548.
Apple for identification, 683.
Apple-scab, 436.
Apples—
  And lucerne (alfalfa), 79.
  Bitter-pit affecting, 42, 87.
  Colour in, 318.
  Gravenstein variety, 113.
  Handling of, for market, 317.
  Leaf-spot, 41.
  Willie Sharp variety, 113.

Apricot, disease of, 110.
Aratak i, sulphur-spraying outdoor grapes, 61.
Area planted in orchards for season, 553.
Argentine, shipments from, to United Kingdom, 120, 227, 341, 671.
Arsenate-of-lead spraying-mixture, 106.
Arsenic treatment of ewes' feet, 680.
Asparagus, 657.
  Culture of, 321, 432.
Association, Wisconsin Experiment, 434.
Auckland Exhibition, Department's demonstration-plots at, 54.
Australian—
  Agricultural education, 118.
  Beekeeping, 191.
  Imported species of cactaceæ, 227.
  Pure-seed Act, provisions of, 159.
Austria, horticultural education, 182.
Ayshire—
  Bulls, sale at Moumahaki Experimental Farm, 102.
  Types of, 395.

B.

Bacteria, soil, and lucerne, 438.
Baling hay, 212.
Barging of meat in London, 119.
Barley—
  And tares for fodder crops, 102, 183, 543.
  Cape, a fodder, 103.
  New variety, 26.
  Seed, 549.
  Variety tests at Ruakura, 26.
Basic slag, 669.
  As top-dressing for pasture, 49.
Beans, French, 90.
Bees, 682.
  Swarm taking possession of wall, 109.
Bee-stings, new use of, 191.
Belgian Farm Women's Club, 308.
*Berberis vulgaris*, 581.
Berkshire pigs for sale at Moumahaki Experimental Farm, 102.
Bird-lime, 557.
Bitter-pit, 42.
Bladder-plums, 329.
Blackberries, eradication of, 210.
Blackberry-moth, 681.
Blight-resistance in potatoes, 370.
Bluestone, 435.
Bordeaux spraying-mixture, 106.
Bots, natural powers of resistance, 53.
Boxthorn (*Lycium horridum*), 581.
Box-timber (*Pinus radiata*), 6.
Breeding—
  Inbreeding, 186.
  Line breeding, 186.
  Sheep-breeding, 544.
Breeds—
  Of dairy cattle, 100.
  Of sheep, position of, 178.
Britain, Argentine trade with, 120.
British live-stock, improvement of, 180.
Broad beans, 660.
  Cultivation of, 320.
Broccoli, cultivation of, 198.
Budding, 682.
Bulbs, culture of, 322.
Bulb-keeping societies in Sweden, 474.
Bush burns—
  Seeding of, 233, 260.
  Use of turnip on, 261.
Bush country, pasture-mixtures, 209.
Bush farm, establishing a, 492.
Bush sickness, field experiments, 160.
Butter—
  Adulteration of, 335.
  Export trade, Danish, 474.
  Flavour of, injured by metals, 644.
  Testing for preservative, 64.
Butter-fat, the world's record production, 671.
Butter-making—
  Breeds of dairy cattle for, 100.
  On the farm, 100.

C.

Cabbage, cultivation of, 198, 320, 535.
Cabbage moth or caterpillar, method of prevention, 371.
Cabbages and cauliflowers, 659.
Cataceæ, Australian restriction of importation, 227, 615.
Cactus, spineless, 439.
Calf with disease of skin and hair, 331.
Calf-rearing, 549.
  Accommodation for, 174.
  Ailment allied to "joint evil" in foals, 104.
  Experiments at Ruakura, 32.
  Lucerne for, 127.
  Ruakura method, 511.
  Skim-milk for, 104.
  Weraroa methods, 174.
Californian thistle—
  Artificial infection by rust, 52.
  Eradication of, 210, 214.
  Rust of, 50.
Canada, co-operative selling organizations in, 305.
Canker of fruit-trees, 649.
Cape gooseberries, culture of, 93, 432.
Carnations, 433.
  Culture of, 94, 201.
Carrots, culture of, 432.
Casein industry, increased activity in, 299.
Caterpillar or cabbage moth, method of prevention, 371.
Cattle—
  Ayshire types, 395.
  Straying, 332.

Cauliflower, culture of, 320.
Cereals, tests of newly introduced varieties at Ruakura, 26.
Chaff, preventing rats from destroying, 102.
Cheese—
  Exhibition of New Zealand cheese in London, 33.
  Making of cream cheese, 101.
Cherries, making wine from, 545.
Cherry-culture, 480.
Cherry-plum (*Prunus myrobalana*), 582.
Cherry-tree planting, 212.
Chewing's fescue, 248.
Chou moellier, 548.
  Culture of, 209.
Clifton, E., appointed New Zealand Commissioner, 81.
Clover—
  Alsike, feeding-value of, 331.
  Alsike (*Trifolium hybridum*), 256.
  *Lotus major*, 256.
  Red, dodder-infested seed, 153.
  Red (*Trifolium pratense*), 254.
  Trefoil (*Medicago lupulina*), 256.
  White (*Trifolium repens*), 254.
Clubs, Belgian farm women's, 308.
Cocksfoot, 244.
  New Zealand seed on Home markets, 136.
  Selection to secure an improved strain, 262.
Codlin-moth, 87, 106, 193.
Colour in apples, 318.
Commercial intelligence, 120, 223.
  Argentine shipments, 227.
  Egg-shipment to Vancouver, 225.
  Report on prospects of New Zealand deer-skins, 224.
  Trade between Victoria and New Zealand, 227.
Commission, Royal, on forestry in New Zealand—
  Extract from report of, 266.
  Report of, *re* white-pine, 359.
Compliment to New Zealand, 414.
Concrete silo, 612.
Conditions governing importation of New Zealand potatoes into Australia, 558.
Conference, late poultry, 529.
Congress of Agriculture, National, 641.
Contagious mammitis or mastitis of cows, 27.
Conveyance-timber supplies, 15.
Cool-storage rates, London, 223.
Co-operation in plant-improvement, 275.
Co-operative—
  Credit in India, 412.
  Demonstration plots, establishment of, 84.
  Experiments, 217, 408.
  Selling organization in Canada, 305.
Cover-crops for orchards, 316.
Cow-grass, dodder-infested seed, 153.
Cow-pox, 438.
Cows, contagious mammitis of, 27.
Cow sucking herself, 212.
Cow-testing—
  A lesson taught by the association, 575.
  Seven-day and yearly tests, 70.
  Summary of semi-official work, 68.
Cream cheese, making of, 101.
Cream, pasteurizing of, 541.
Cream-supplies, suggested system of payment for, 295.
Cream-testing scale, 372.
Crops for silage, 608.
Cultivation—
  In dry country, 26.
  Of the orchard, 87.
  Of wheat, 541.
  Subsoiling by explosives, 108.
*Cupressus macrocarpa*, 579.
Currants—
  Black, red, and white, 661.
  Cultivation of, 201.
  Insects in, 546.

D.

Dahlias, culture of, 94.
Dairy-cows—
  Ailment of, 679.
  Experiment in feeding, 518.
  Luxuriant pasture best for, 474.
Dairying—
  Abroad, 144, 466.
  Breed of cows for buttermaking, 100.
  Buttermaking on the farm, 100.
  Butter, testing for preservative, 64.
  Calf-rearing, 174.
  Contagious mammitis, 27, 104.
  Cow-testing (see under C).
  Display of New Zealand cheese in London, 33.
  Drying off dairy cows, 104.
  Dutch methods, 144.
  Dutch methods of breeding stock, 277.
  Escutcheon theory, 67.
  Fodder for dairy cows, 101.
  Grazing dairy cows, 439.
  Guenon escutcheon theory, 67.
  Kerry cows, 208.
  Lucerne for dairy cattle, 127.
  Making cream cheese and soft cheese, 101.
  *Pinus radiata* for making export packages, 11.
  Preservative in butter, 64.
  Preserving milk-samples, 441.
  Semi-official testing, 68.
  Silver-beet for dairy cows, 168.
  Stocking bush country, 435.
  Storage of butter, 100.
  Sweden, dairy-cattle breeds in, 74.
  Testing butter for preservatives, 64.
Daisy, Marguerite (*Chrysanthemum maximum*), 108.

Danish export butter trade, 474.
*Danthonia pilosa*, 213.
*Danthonia pilosa* and *Danthonia semi-annularis*, 252.
Deer-skins, report on prospects of trade in New Zealand, 224.
Demonstration work in regard to bush sickness, 160.
Derrick, a simple, 612.
Disease affecting Jersey bull, 544.
Diseases—
Affecting plums, 214.
Affecting sheep, 545.
Diseases, ailments, and pests of animals—
Abortion, 110.
Bots, 53
Bush-sickness investigations, 160.
Calf with disease of skin and hair, 331.
Contagious mammitis, 27, 104.
Cow-pox, 438.
Foot-and-mouth disease, 312.
Greasy heels in horses, 438.
"Joint evil" in foals, ailment like, 104.
Lead-poisoning, 141.
Mammitis contagious in cows, 27.
Shank-bone or metacarpus of sheep, 332.
Veterinary experiment station, 165.
Worts on cow's teats, 331.
Diseases and pests of plants—
Apple-blight, 105.
Apple leaf-spot, 41.
Apple-scab, 214.
Apricot-disease, 110.
Bitter-pit, 42, 87.
Bitter-rot of the apple, 87.
Black-spot on pears and apples, 107.
Blight affecting peaches, 108.
Californian-thistle rust, 50.
Codlin-moth, 87, 106, 193.
Fruit dropping from the trees, 213.
Gooseberry leaf-spot, 93.
Grape-leaf scalding, 213.
Grass-grub, 101.
Gumming of fruit-trees, 105.
Leech, 88, 193.
Mildew on vines, 61.
Peach-curl, 106.
Pocket-plums, 329.
Potato-disease, 42.
Powdery mildew, 106.
Shot-hole fungus, 106.
Silver-blight of fruit-trees, 105.
Smut in grain, 102.
Spray-mixture table, 177.
Docks, eradication of, 436.
Dodder, 547, 679.
Infesting red-clover and cow-grass seed, 153.
Dominions' exports to Great Britain, 122.
Dry farming, 26.
Dry-rot fungi, 681.
Duncan, James, appoined Acting Director of Fields and Experimental Farms Division, 81.
Dunedin show cheese exhibited at London, 33.
Dutch method of breeding dairy stock, 277.
Dynamics of a plough, 597.

E.

Education—
In agriculture, 217.
In Austria, 118.
In Germany, 183.
In horticulture, 182.
Egg-quality, 654.
Egg-shipment, Vancouver, report on, 225.
*Eleagnus japonica*, 580.
Electricity in agriculture, 512.
Ensilage, 607.
At Moumahaki, 49.
Lucerne for, 127.
Procedure in stack system, 103.
The silo form, 373.
Eradication—
Of docks, 436.
Of rushes, 439.
Of weeds, 596.
Ergot in rye-grass seed, 634.
Establishing a bush farm, 492.
Experiment Association, Wisconsin, 434.
Experiments—
Co-operative, 408.
In connection with bush sickness, 160.
In feeding dairy cows, 518.
Potato, 463.
With barley at Ruakura, 26.
With cocksfoot at Moumahaki, 262.
With lime at Ruakura, 47.
With lucerne, variety tests, 183.
With manures at Ruakura, 43.
With silver-beet at Weraroa, 166.
With Spanish lucerne, 170.
With sulphur as manure at Ruakura, 48.
Explosive, subsoiling with, 108.
Export—
Of eggs, 225.
Of fruit, 193.
Of stock from New Zealand, 346, 452, 564, 676.
Trade in New Zealand deer-skins, 224.
Exports—
From New Zealand to Britain, 342, 448, 560, 672.
To Vancouver and San Francisco, 345, 451.

F.

Farm—
Buttermaking on, 100.
Dutch dairy, 144.
Garden, 90, 197, 319.
Monthly notes on, 415, 519, 645.
Women's clubs in Belgium, 308.

Feeding the calf, 511.
Feeding silage, 609.
Feet trouble with ewes, 680.
Fencing, 453.
Fertility of the soil, 642.
Fertilizers—
  Functions of, 186.
  Orders for, 557.
  Sulphur as, 412.
Fescue—
  Chewing's, 248.
  Meadow, 248.
  Sheep's, 248.
Fetlock of horse swollen, 680.
Fiorin, 250.
Flower-culture, 93, 201, 544, 662.
Flower-garden, the, 93, 321, 433.
Fodder crops, 438.
  Alsike, 331.
  Barley (Cape) and tares, culture of and manuring of, 103.
  Barley and tares, 102, 183.
  Chou moellier, 209.
  Lucerne, 79, 103, 110, 127, 134, 135, 170, 183, 208, 209, 265.
  Lupins, 137.
  Maize, 75, 102, 183, 440.
  Italian rye, 183.
  Peas with oats, 103.
  Rape, 157.
  Silver-beet, 158, 166, 168, 379.
Fodder for dairy cows, 102.
Food-supply, position in America and Canada, 558.
Foot-and-mouth disease, 312.
Foot-rot in sheep, 435.
Forage (see Fodder).
Forestry: *Pinus radiata* as a timber-tree, 1.
Forestry in New Zealand—
  Report of Royal Commission, Extracts from, 266.
  Report *re* white-pine, 359.
Fork and shovel combined, 203.
Fowl-pox, 585.
French beans, culture of, 90.
Fruit—
  Apple-blight, 105.
  Apple tests at Ruakura, 113.
  Apple-scab, 214.
  Apricot-disease, 110.
  Bitter-pit affecting apples, 42, 87.
  Black-spot on pears and apples, 107.
  Cherry-culture, 212.
  Cherry-trees affected with gumming, 105.
  Clover in the orchard, 107.
  Codlin-moth, 193.
  Diseases of apples and plums, 214.
  Dropping from the trees, 212.
  Gooseberry leaf-spot, 93.
  Green manure, 192.
  Gumming of trees, 105.
  Leech, 88, 193.
  Manuring of cheery-trees, 212.
  Packing for export, 193.
  Peach-curl, 106.
Fruit—*continued.*
  Peach-trees affected with blight, 108.
  Planting trees, 107.
  Ploughing and cultivating an orchard, 181.
  Powdery mildew of apple-trees, 106.
  Pruning, 211.
  Raspberries, culture of, 93.
  Root-pruning, 210.
  Shot-hole fungus, 106.
  Silver-blight, 105.
  Spray-mixing table, 177.
  Spraying, 106, 192.
  Strawberry-culture, 92, 105.
  Summer pruning, 56.
  Traces and swingletree for orchard work, 181.
Fruit and vegetables, market condition of, 556, 668.
Fruit crop, the, 114, 444, 554, 666.
Fruitgrowing—
  Apple leaf-spot, 41.
  Codlin-moth, 87.
  Cultivating the orchard, 181.
  Cultivation, 87.
  Experiments at Ruakura, 121.
  In Greece, 644.
  Monthly notes on, 87, 192.
  *Pinus radiata* for making boxes, 9.
  Pruning of trees, 56.
Fruitgrowing industry, 436.
  Apples for market, how to handle, 317.
  Cape gooseberries, 93, 432.
  Cover-crops for orchards, 316.
  Gooseberries, 93, 432.
  Heeling-in nursery trees, 417.
  Lemon-orchard, 418.
  Market conditions of local fruit and vegetables, 339, 446.
  Monthly notes, 336.
  Orchard pests, 316.
  Pruning of fruit-trees, 56, 418.
  Raspberries, 93, 432.
  Spraying peaches and nectarines, 418.
  Strawberries, 92, 432.
  Work for April, 316.

G.

Garden—
  The, 534, 657.
  The farm, 90, 319.
  The farm flower, 93, 201, 433.
  The farm vegetable, 90, 197, 427.
  Use of carnivorous slugs in, 213.
Garden and orchard diseases, 328.
Garlic-culture, 199.
Germany—
  Agricultural education in, 183.
  State forests of, 671.
Glass, culture of tomatoes under, 301.
Gooseberries, 662.
  Culture, 93, 201, 432.
Gooseberry leaf-spot, 93.

Gorse, eradication of, 110.
Grading returns of hemp and tow, 344, 450, 562, 674.
Grain treatment of smut in, 102.
Grape-culture, 88.
Cellar work, 196
Guyot glucometre, 196.
Leaf-scalding, 213.
Mildew on vines, 61.
Monthly notes, 88, 419.
Packing grapes, 89.
Position of the wine-production vineyards of the Dominion, 496.
Shanking of grapes, 420.
Table-grape culture in New Zealand, 616.
Vineyard work for February, 89.
Vinehouse work for March, 193.
Vineyard work for March, 194.
Wine grapes, 195.
Training some outdoor, 510.
Grass-grub, control of, 101.
Grass-seed, 619.
Grasses—
Blue-grass, 169.
Chewing's fescue, 248.
Cocksfoot, 136, 209, 244, 262.
Crested dogstail, 244.
*Danthonia pilosa*, 213.
*Danthonia pilosa* and *D. semiannularis*, 252
Fiorin (*Agrostis stolonifera*), 250, 330.
For bush burn, 209.
Italian rye-grass, 242.
Meadow-fescue, 248.
Meadow-foxtail, 246.
Native grasses in North Otago, 169.
New Zealand rice-grass (*Microlæna stipoides*), 252.
*Paspalum dilatatum*, 254.
Perennial rye-grass, 209, 240.
Prairie-grass (*Bromus unioloides*), 254.
Ratstail (*Sporobolus indicus*), 252.
Rough-stalked meadow-grass (*Poa trivialis*), 250.
Rye-grass, 265.
Seed-mixture for bush burns, 233.
Sheep's fescue, 248.
Smooth-stalked meadow-grass (*Poa pratensis*), 250.
Timothy: (*Phleum pratense*), 246.
Western Wolths, 542.
Yorkshire fog, 209.
Grazing dairy cows, 439.
Greasy heels in horses, 438.
Greece, fruitgrowing in, 644.
Green manure—
Plants in the soil, action of, 307.
In the orchard, 192.
Green-manuring, 475.
Lupins for, 137.
Green's Ruakura oat, 121, 172.
Ground limestone, value of, on New Zealand soils, 388.
Grub of potato, 550.
Guenon escutcheon theory, 67.

H.

Hair and skin, calf with disease of, 331.
Hay, baling, 212.
Handling apples for market, 317.
Hauraki Plains, some notes on the soils of, 565.
Hawke's Bay rye-grass, quality of seed, 265.
Hazel-nut trees, 683.
Hedge for shelter, 330.
Hedges, 579.
Heeling-in nursery trees, 417.
Hemlock (*Conium maculatum*), 577.
Hemp—
Declining quality, 187.
Exhibition at Auckland, '82.
Grading returns, 450.
Utilizing refuse products, 188.
Hemp and tow grading returns, 124, 562, 674.
Hemp industry, 552, 665.
Bonus of £12,000 for an improved method of preparing fibre, 84.
Grading returns, 344.
Monthly notes, 83, 187, 313, 442.
Hogget distinguished from lamb, 104.
*Hoheria populnea*, 584.
Holland, dairying in, 144.
Holstein cattle unsuitable for rough and hilly country, 100.
Honey—
Crop prospects, 116, 338, 445, 555, 667.
Export from New Zealand, 671.
Imported into United Kingdom, 121.
Honolulu, farmer of, what American Government does for him, 413.
Horn making a new growth, 299.
Horse—
Complaint, 543.
Good book on, 109.
Horseradish, cultivation of, 536.

I.

Identification of specimens, 684.
Implements: Combined fork and shovel, 203.
Imports of honey into United Kingdom, 121.
Inbreeding, 186.
India, co-operative credit in, 412.
Industry, the hemp, 552, 665.
Influence of age on quality of progeny, 411.
Inkweed, 509.
Insects in currants, 546.
International—
Agricultural show at The Hague, Holland, 144.
Congress of Agriculture, 76.
Italian rye for fodder for dairy cows, 183.
Italian rye-grass, 242.

J.

Japanese Imperial Tohoku University at Sapporo (Island of Yesso), 518.
Japanese plums, 329.
Jersey bull, disease affecting, 544.
Jersey Queen mangels, 557.
*Journal of Agriculture*, price of bound volumes, 208.

K.

Kerry cows, cost of importing, 208.

L.

Lawn—
  Making of, 538.
  Thistles on, 440.
Lamb distinguished from hogget, 104.
Lead-poisoning in stock, 141.
Leaf-spot on lucerne, 437.
Leech, 88.
Legume nodules, 404.
Lemon-orchard, 418.
Lettuce, culture of, 91, 197, 320, 536.
Lime, 441.
Lime—
  As a manure, 47.
  Experiments with, at Ruakura, 47.
  Spreader of, 615.
Limestone, ground, value of, on New Zealand soils, 388.
  Machinery for grinding, 391.
Line breeding, 186.
Live-stock, improvement of, 180.
Loganberries, 683.
London—
  Cool-storage rates, 223.
  Display of Dunedin show cheese, 33.
  Exhibition of New Zealand cheese in, 33.
  Market values, 123, 343, 449, 561, 673.
  Meat-barging in, 119.
Lucerne, 542, 549, 678.
  (Alfalfa) and apples, 79.
  And soil-bacteria, 438.
  Culture of, 110.
  Culture and manuring of, 103.
  Dryland variety, 183.
  Extension of, 593.
  For bush burns, 209.
  For dairy cattle, 576.
  For silage, 127.
  Grazing of, 127.
  In the orchard, 440.
  Leaf-spot on, 437.
  Management of crop, 135.
  Moumahaki experience, 127.
  Testing-work at Ruakura, 355.
  The effect on the soil, 134.
  Time for planting, 265.
  Treatment on pure sand, 208.
  Value of Spanish variety, 170.
  Variety test, 183.
Lupin—
  Its value as a green manure, 137.
  White variety, 680.
  Value of the white variety, 137.
Lupins, 678.
  Culture of, 209.
  Seed of, 209.

M.

Macrocarpa-trees, cutting of, 329.
Maize, 440.
  A simple cutter, 75.
  Crop in America, 75.
  Cultivation and manuring of, 102.
  For fodder, 183.
  Oats and, 549.
Mamaku Farm, bush-sickness investigation at, 160.
Mammitis or mastitis (contagious) of cows, 27, 104.
Manure—
  Lime as a, 47.
  Nitrogen, 44.
  Potash, 47.
  Phosphoric acid, 45.
  Residual value of, 395.
  Sulphate of iron, 49.
  Sulphur, 48.
Manurial—
  Requirements, 43.
  Tests at Ruakura, 593.
Manuring—
  Function of fertilizers, 186.
  Green-manuring in orchard, 192.
  Lupins for green-manuring, 137.
  Of cherry-trees, 212.
  Of rape, 159.
  Of swede turnips, 212.
Marguerite daisy, 108.
Market condition of local fruit and vegetables, 117, 339, 446, 556, 668.
Market—
  Handling apples for, 317.
  San Francisco prices of meat products, 670.
  Values, London, 343, 449, 561, 673.
Meadow-fescue, 248.
Meadow-foxtail, 246.
Meadow-grass—
  Rough-stalked, 250.
  Smooth-stalked, 250.
Meat—
  Barging, in London, 119.
  Export trade: United States regulations, 119.
  Production, the world's, 76.
  Supply of, positions of the world's, in America, 464.
Melilot, wild, 543.
Metacarpus or shank-bone of the sheep, 332.
Mildew on vines, 61.
Milk-supplies, suggested system of payment for, 295.
Millet, 542.

Monterey pine, 1.
Motor-plough, a practical, 367.
Moumahaki—
Ensilage at, 49.
Experience with lucerne, 127.
Experiments with cocksfoot, 263.
Potato experiments, 143.

N.

Narcissi, culture of, 202.
National Congress of Agriculture, 641.
Nectarines and peaches—
Renovation of, 613.
Spraying of, 418.
New Zealand—
Cheese, exhibition of, in London, 33.
Cocksfoot on the British market, 136.
Compliment to, 414.
Deer-skins, report on prospects of trade in, 224.
Employment of *Pinus radiata* timber in, 2.
Export from, to United Kingdom, 342.
List of veterinary surgeons, 185.
Purebred sheep flocks, 178.
San Francisco trade, 125.
Trade with Victoria, 227.
Vancouver trade, 125.
Nitrogen—
As a manure, 44.
In New Zealand soils, 44.
Nodules, legume, 404.
Noxious weeds: yellow star thistle (*Centaurea solstitialis*), 331.

O.

Oats—
And maize, 549.
Cultivation of, 211.
Green's Ruakura variety, 121, 172.
With peas as fodder, 103.
Observation, the value of careful, 293.
Olearia, planting of, 214.
Onion-culture, 199, 436.
Onions, 660.
Cultivation of, 91, 320.
Orchard—
And garden diseases, 328.
Cherry-leaf scorch, 523.
Cultivation of, 87, 181, 192.
Lemon, the, 523.
Lucerne in the, 440.
Monthly notes, 87, 417, 521, 648.
Mussel scale, red spider, and mealy bug, 523.
Pests of, 316.
Red oil for spraying, 522.
Spraying peaches and nectarines, 522.
Orchards, area planted in, 553.
Organizations, co-operative selling, in Canada, 305.
Osage orange (*Maclura coccinea*), 581.
Otago North, renewal of pastures in, 169.
Overrun at butter-factory, 548.

P.

Panama Pacific Exposition, appointment of New Zealand Commissioner, 81.
Papermaking, utilization of refuse hemp products for, 188.
Parsnips, culture of, 432.
Parsnip-wine, manufacture of, 211.
*Paspalum dilatatum*, 254.
Pasteurizing cream, 541.
Pasture—
Basic slag as top-dressing for, 49.
Laying down permanent, 328, 683.
Seed mixtures for bush burns, 233, 209.
Seed mixture for permanent, 544.
Strains of cocksfoot, 262.
Top-dressing with sulphate of iron, 49.
Pastures, renewal of southern hill, 169.
Payment for milk and cream supplies, suggested system of, 295.
Peaches and nectarines—
Renovation of, 613.
Spraying of, 418.
Peas, 660.
Culture of, 91.
With oats as fodder, 103.
Pennyroyal: does it cause abortion? 110.
Perennial rye-grass, 240.
Seed of, 619.
Permanent pasture—
Laying down of, 683.
Mixture for, 544.
Pentstemons, culture of, 203.
Philippine Islands, agricultural development in, 84.
*Phormium tenax* (see Hemp).
Phosphoric acid—
As a manure, 45.
In New Zealand soils, 45.
Picotees, 433.
Pig-breeding, 438.
Silver-beet for, 168.
Pigeon-grass, 543.
Pigs—
Feeding of: tests in methods, 335.
Tuberculosis, 551.
Wild, poisoning of, 109.
*Pinus radiata* or *Pinus insignis*, 1, 579, 684.
Length of rotation, 19.
Plantations: effect on soil-fertility, 409.
Removal of, 548.
Seed of, 15.
Yield per acre, 17.
Plant-improvement, co-operation in, 275.
Plant-selection: cocksfoot at Moumahaki, 262.
Planting trees in wet land, 330.
Plough, dynamics of a, 597.
Plough (motor), a practical, 367.

Poisoning—
Pocket-plums, 329, 649.
Of stock, lead compounds, 141.
Of wild pigs, 109.
Poisonous potatoes, 400.
Polyanthus, 433.
Potash—
As a manure, 47.
In New Zealand soils, 47.
Potato—
Demonstration, 143.
Disease of, 42, 547.
Experiments with, 463.
Grub, 550.
Potatoes—
Blight resistance in, 370.
New disease of (silver scurf), 42.
New Zealand, conditions governing the importation of, into Australia, 558.
Poisonous, 400.
Seed-sprouting, 363.
Types of seed to plant, 143.
Value of sprouting, 143.
Variety tests at Ruakura, 589.
Poultry—
A brooder-house, 526.
Breeding for egg-production, 423.
Clean eggs, 422.
Conference, 519.
Constitution, 324.
Culling, 206.
Current problems, 651.
Demand for improved stock, 423.
Disease, 98, 525.
Egg shipment to Vancouver, 225.
February work, 95.
Forcing production, 95.
Industry, the, 95.
Leg-weakness, 207.
March work, 204.
On the farm, 98.
Overcrowding, 423.
Pox, 585.
Pullets laying too early, 96.
Quality of products, 205.
Selecting the breeder, 325.
Separating the sexes, 97.
Winter layers, 323.
Practical motor-plough, 367.
Prairie-grass, 254.
Preservative in butter, testing for, 64.
Preserving milk-samples, 441.
Primroses, 433.
Produce imported, 126.
Progeny, influence of age on quality of, 411.
Prospects—
Of honey, 667.
Of honey crop, 555.
Pruning, 56, 418, 649.
Publications on agriculture, 210.
Purchases from Department, payment system instituted in, 306.

Q.

Qualified veterinary surgeons, list of, 185.
Quarantine, stock in, 346, 441, 564, 676.

R.

Rabbit-poisoning, 335.
Radish, 661.
Culture of, 91, 197.
Rangitikei Agricultural and Pastoral Association, 669.
Rape—
Experience at Ruakura, 157.
Manuring of, 159.
Raspberries, 661.
Culture of, 93, 201, 432.
Rats, preventing, from destroying chaff, 102.
Rearing the calf, 174, 549.
Reclamation of sand areas: treatment for Westland, 38.
Removal of *Pinus radiata*, 548.
Renovation of peaches and nectarines, 613.
Report on prospects of export trade in New Zealand deer-skins, 224.
Residual values of manures, 395.
Returns, grading of hemp and tow, 562.
Rhubarb, 658.
Culture of, 199.
Making wine from, 211.
Winter kinds, culture of, 321.
Root fungus of fruit-trees, 650.
Rose-pruning, 663.
Roses, 433.
Rotation of crops, 208.
Royal Commission on Forestry (see also Commission, Royal), 359.
Ruakura—
Apple-trees tested at, 113.
Calf-feeding experiments at, 32.
Cereal tests at, 26.
Feeding dairy herd at, 217.
Green's Ruakura oat, 172.
Lucerne-testing work at, 355.
Manurial experiments at, 43, 463.
Orchard work at, 107, 121.
Rape crops at, 157.
Rust-resistant oat, 121.
Silver-beet experience at, 158, 168.
Variety tests of potatoes, 589.
Rural life, 84.
Rushes, eradication of, 439.
Rust attacking Californian thistle, 50.
Rye-grass—
Hawke's Bay seed, 265.
Italian, 242.
New Zealand, 252.
Perennial, 240.

S.

San Francisco—
New Zealand trade with, 675.
Prices of meat products, 670.
Shipments to, 345, 451.
Trade with, 563.
Sand, lucerne on, 208.
Sand reclamation: treatment recommended for Westland, 38.
Scale for cream-testing, 372.
Seakale, 658.
Culture of, 432.
Seed—
Hawke's Bay rye-grass, 265.
Inferior, 577.
Mixtures for bush burns, 233.
Of lupins, 209.
Of *Pinus radiata*, 15.
Potatoes, sprouting, 363.
Seeding a bush burn, 260.
Seeds: Australian Pure-seed Act, 159.
Semi-official testing, 68.
Shallots, culture of, 199.
Shank-bone or metacarpus of the sheep, 332.
Shanking of grapes, 420.
Sheep—
Breeding, 544.
Diseases of, 545.
Farming, 681.
Foot-rot in, 435.
Forage for, 157.
Lamb distinguished from hogget, 104.
Lucerne for, 127.
Purebred flocks, 178.
Shower-dip for, 551, 677.
Southdown, 347.
Suitable for West Coast lands, 543.
Sheep's fescue, 248.
Shelter-belt, 682.
Shelter-hedge, 330.
Shipments of produce—
From Argentine to United Kingdom, 227.
To Vancouver and San Francisco, 345, 451.
Shovel and fork combined, 203.
Show dates, 81, 669.
Show, International Agricultural, at The Hague, 144.
Shower-dip for sheep, 551.
Shows, poultry, 654.
Silage (see also Ensilage)—
Keeping quantity of, 211.
Steel silo, 208, 373.
Silo—
Filling an all-steel, 611.
Original concrete, 612.
Silver-beet—
As a fodder crop for dairy cows, 379.
Canterbury experience with, 168.
Culture of, 91, 197.
Experiments at Weraroa, 166.
For dairy cows, 168.
For pigs, 168.
Ruakura experience, 158, 168.
Silver-blight-affected fruit-trees, 105.
Skim-milk for calves, 104.
Skin and hair disease, calf with, 331.
Slag (see Basic slag).
Slug: use of carnivorous slug in the garden, 213.
Slugs and caterpillars, remedy for, 547.
Small-fruit culture, 661.
Smut in grain, treatment of, 102.
Soil: action of green-manure plants, 307.
Soil-fertility, 642.
Soil-mouldiness and toadstools, 546.
Sorrel, 437.
Sour milk, 550.
Southdown sheep, 347.
Soya bean, experience of, at Moumahaki, 594.
Spanish lucerne, value demonstrated, 170.
Spinach-culture, 91, 197.
Spineless cactus, 439.
Spraying—
Arsenate-of-lead mixture, 106.
Bordeaux mixture, 106.
Control of apple leaf-spot, 41.
Fruit-trees, 648.
Fruit-trees and tomatoes, 106.
Table for, 177.
Spreader of lime, 615.
Sprouting of seed potatoes, 363.
Spurrey, 547.
Stack system of ensilage, 103.
Steamship service to eastern ports of United States, 452.
Stock—
Dairy, Dutch method of breeding, 277.
Exported, 126, 346, 452, 564, 676.
In quarantine, 121, 346, 441, 564, 676.
Lead-poisoning in, 141.
Stocking bush country, 435.
Strawberries, culture of, 92, 105, 432, 684.
Straying cattle, 332.
Sulphate of iron as top-dressing for pasture, 49.
Sulphur as a fertilizer, 48, 412.
Sunnyside Mental Hospital, experiment with silver-beet at, 379.
Superlative swede turnips, 557.
Sweden—
Bull-keeping societies, 474.
Dairy cattle, breeds of, 74.
Swedes, manuring of, 212.
System of payment for cream and milk supplies suggested, 295.

T.

Tares and barley, 543.
Cultivation of, 102.
Tariff Act, the American, 311.
Tarweed, eradication of, 108.
Tauranga, cultivating orchard at, 181.

Testing butter for preservatives, 64.
Testing, semi-official, 68.
Thistles on lawn, 440.
Thistle, yellow star, 331.
Timber—
*Pinus radiata* as a timber-tree, 1.
White-pine, exportation of, 359.
Timothy-grass, 246.
Toad-flax, 329.
Toadstools and soil-mouldiness, 546.
Tomatoes—
Blight affecting, 92.
Culture of, 92, 199, 435, 682.
Culture of, under glass, 301.
Spraying, 106.
Tow—
Grading returns, 344, 450, 674.
Quality of, 188.
Trade—
Argentine, with Britain, 120, 341.
New Zealand with eastern ports of United States of America, 559, 671.
New Zealand with San Francisco, 563.
New Zealand with San Francisco and Vancouver, 675.
New Zealand with Victoria, 227, 563.
United States regulations regarding the importation of meat, 119.
Trees, planting of, in wet lands, 330.
Tuberculosis in pigs, 551.
Turnips—
Culture of, 91, 320, 432.
Culture of as vegetable, 197
Half-long White Virtus, 434.
Manuring of, 212.
Use of, on bush burns, 261.
Tutu, 332.

U.

United Kingdom—
Honey imported into, 121.
New Zealand exports to, 342.
United States—
Department of Agriculture, changes in, 144.
Eastern ports of, trade with New Zealand, 559, 671.
Steamship service to eastern ports of, 452.

V.

Value—
Market, London, 343.
Of careful observation, 293.
Of manure, Ruakura experiments, 395.
Vancouver—
And San Francisco, shipments to, 345, 451.
New Zealand trade with, 563, 675.
Report on egg-shipment to, 225.
Variety tests, lucerne, 183.
Vegetable-culture, 90, 319, 548.
An object-lesson, 537.
Monthly notes, 197, 427, 534.
Vegetables, local market condition of, 339, 446.
Veterinary—
Experiment station in New South Wales, 165.
Surgeons, New Zealand list, 185.
Victoria, trade with New Zealand, 227.
Vinehouse, the, 650.
Monthly notes, 523.
Work in (see Grape-culture).
Vine-stocks, 618.
Vines, mildew affecting, 61.
Violets, 433.

W.

Warts on cows' teats, 331.
Weather: monthly notes, 333.
Weed-eradicator, 596, 677.
Weeds—
Blackberries, 210.
Californian thistle, 50, 210, 214.
Marguerite daisy, 108.
Noxious: docks, eradication of, 436.
Obligation to clear, 169.
Pennyroyal, 110.
Sorrel, 437.
Tarweed, 108.
Weraroa—
Calf-pens and rearing, 174.
Experience with bitter-pit, 42.
Potato demonstration, 143.
Silver-beet experiments, 166.
Subsoiling by explosives, 108.
West Coast lands, sheep suitable for, 543.
Western Wolths grass, 542.
Westland, sand reclamation in, 38.
Wheat-culture, 541.
Wheat-production, the world's, 76.
White-pine exportation, 359.
Wine—
Grapes for, 195.
Making from cherries, 545.
Parsnip, recipe of, 211.
Production of vineyards of the Dominion, 496.
Rhubarb, recipe for, 211.
Sales at Waerenga Experimental Farm, 665.
Winged thistle, 588.
Wisconsin Experimental Association, 434.
World's consumption of wheat and meat, 76.
World's meat-supply: position in America, 464.

Y.

Yarr, 547.
Yarrow, use in bush mixtures, 256.
Yellow star thistle, 331,
Yellow soldier's button, 542.

# ILLUSTRATIONS.


*Pinus radiata* Plantation: Frontispiece.

Page

The Monterey Pine—
- *Pinus radiata* in Canterbury .. 3
- Method of Felling .. 5
- Section of Log showing Annual Growth-rings .. 7
- Logs ready for Milling .. 10
- Logs from Single Tree of *Pinus radiata* Twenty-seven Years old .. 13
- Box Timber .. 16
- Plantation from which Timber for Mr. Sowden's House was cut .. 20
- Residence of Mr. F. Sowden, Canterbury .. 21
- Travelling Mill in Canterbury .. 24

New Zealand Cheese .. 33

Exhibit of White Cheese .. 34

Exhibit of Coloured Cheese .. 35

No. 43 Tooley Street, London, S.E., where the Exhibition was held .. 37

Californian Thistle Rust: Infected Plant at suitable Stage for Inoculation 51

The Department's Demonstration-plots at the Auckland Exhibition .. 54

The Weeds Display in the Department's Court at the Auckland Exhibition 55

The Grain-sheaf Display in the Department's Court at the Auckland Exhibition 62

A Section of the Department's Grain-variety Exhibit .. 63

Testing Butter for Preservative: The Testing Outfit .. 65

Semi-official Testing—
- Mamy I .. 69
- Dutch Girl .. 69
- Queen Majorie II .. 71
- Belvedere Rose .. 73

A Simple Maize-cutter .. 75

The Department's Hemp Exhibit at the Auckland Exhibition .. 82

Lucerne—
- A Lucerne-field at Moumahaki: Frontispiece.
- Lucerne at Moumahaki Six Weeks after Cutting .. 129
- Sheep on Lucerne at Moumahaki .. 130
- Mares and Foals grazing on a Moumahaki Lucerne-field .. 130
- Grazing Calves on Lucerne at Moumahaki .. 131
- Feeding Lucerne to Cows in the Field .. 131
- The Peruvian Variety in the Variety-testing Field .. 133
- The Lucerne Hay and Silage Stacks at Moumahaki .. 134
- Rate of Lucerne-growth after Late First Cutting .. 135

Lupin—
- Nodule-development on the Lupin-plants in the Plot illustrated on the opposite Page .. 138
- White Lupin in the Department's Demonstration Plots at Auckland Exhibition .. 139

The Methods of the Dutch Milk-producer—
- Bird's-eye View of the Farm .. 145
- Side View of Cow-stable .. 145
- Cow-stable .. 146
- Butter Kneading or Working; Pouring Milk into Transport-cans through a Strainer; Cleaning the Bottles .. 147
- Carpenter's Shop, Bakery, Grain-warehouse, Milk-wagon .. 148
- Sheep-pen .. 149
- Friesland Cow, Bosma II .. 150
- Pedigree Cow, Meuse-Rhine-Yssel Breed .. 151
- Champion Friesland Bull, First International Agricultural Show, The Hague, Holland, 1913 .. 152

First International Show, The Hague, Holland, 1913— Page
A View of the Showgrounds .. .. .. .. .. 154
View of the Dairy-produce Shed .. .. .. .. .. 155
Friesian Cattle in the Show-ring .. .. .. .. .. 156
Bush Sickness—
Bush-sick Cow before going on the Top-dressed Pasture in July of Last Year .. .. .. .. .. .. .. 162
The same Cow at the Present Time after grazing on Top-dressed Land and being medicinally treated with Syrup of Iron Phosphate .. 163
Lucerne Variety Test—Spanish, Arabian, Hunter River, American, Peruvian, Hungarian, Turkestan, French Provence .. .. .. .. 171
Rearing the Calf—
General View of Weraroa Calf-pens .. .. .. .. 174
Each Pen has Accommodation for Two Calves .. .. .. 175
Section of Bail, showing System of Bailing-up .. .. .. 176
Common Method of Feeding Calves .. .. .. .. 176
Swingletree for cultivating the Orchard .. .. .. .. 182
The Apiary: The Extracting-house of R. Gibb, Southland .. .. 190
Combined Fork and Shovel .. .. .. .. .. .. 203
Seed-heads of Cocksfoot, showing the Great Variation in Individual Plants: Frontispiece.
Seed Mixtures for Bush Burns—
Perennial Rye-grass (*Lolium perenne*) .. .. .. .. 235
Italian Rye-grass (*Lolium italicum*) .. .. .. .. 235
Cocksfoot (*Dactylis glomerata*) .. .. .. .. .. 237
Meadow-fescue (*Festuca pratensis*) .. .. .. .. 237
Meadow-foxtail (*Alopecurus pratensis*) .. .. .. .. 239
Crested Dogstail (*Cynosurus cristatus*) .. .. .. .. 239
Smooth-stalked Meadow-grass (*Poa pratensis*) .. .. .. 241
Rough-stalked Meadow-grass (*Poa trivialis*) .. .. .. 241
Chewing's Fescue (*Festuca saburicola*) .. .. .. .. 243
Sheep's Fescue (*Festuca ovina*) .. .. .. .. .. 243
Timothy (*Phleum pratense*) .. .. .. .. .. 245
Fiorin (*Agrostis stolonifera*) .. .. .. .. .. 245
Ratstail (*Sporobolus indicus*) .. .. .. .. .. 245
Small-seeded Danthonia (*Danthonia semiannularis*) .. .. .. 247
Large-seeded Danthonia (*Danthonia pilosa*) .. .. .. 247
Paspalum (*Paspalum dilatatum*) .. .. .. .. .. 249
New Zealand Rice-grass (*Microlæna stipoides*) .. .. .. 249
Red Clover (*Trifolium pratense*) .. .. .. .. .. 251
Subterranean Clover (*Trifolium subterraneum*) .. .. .. 251
White Clover (*Trifolium repens*) .. .. .. .. .. 253
Alsike (*Trifolium hybridum*) .. .. .. .. .. 253
Trefoil (*Medicago lupulina*) .. .. .. .. .. 253
Birdsfoot Trefoil (*Lotus corniculatus*) .. .. .. .. 255
Large Birdsfoot Trefoil (*Lotus major*) .. .. .. .. 255
*Lotus angustissimus* .. .. .. .. .. .. 255
Cocksfoot—
Cocksfoot Sheaves at Moumahaki, demonstrating Wide Variation in Character .. .. .. .. .. .. .. 263
A Corner of the Cocksfoot-selection Field at Moumahaki .. .. 264
Dutch Methods of Breeding Dairy Stock—
Herd of Friesian Cows, Black and White .. .. .. .. 278
Black-and-white Friesian Bull, "Napoleon" .. .. .. 281
Black-and-white Friesian Cow, "Koningen" .. .. .. 283
Black-and-white Friesian Cow, "Rosa" .. .. .. .. 286
Groningen Breed: Black, White-headed, Bull, "Marquis" .. .. 288
Groningen Breed: Black, White-headed, Cow, "Gertrude" .. .. 289
Meuse-Rhine-Yssel Breed: Red-and-white Bull .. .. .. 291
Meuse-Rhine-Yssel Breed: Red-and-white Cow, "Bregge" .. .. 292
Block of Wood found wedged in Mouth of Cow .. .. .. 294
Making New Horn-growth .. .. .. .. .. .. 299
One of the Small New Zealand Displays being made throughout Great Britain by the High Commissioner .. .. .. .. .. 300
Plan of Draining Tomato-house .. .. .. .. .. 301
Six-year-old Grosse Calibasse Pear-tree at Ruakura Farm of Instruction: Frontispiece.

| | Page |
|---|---|
| The Southdown— | |
| The Southdown Ram | 349 |
| A Strong Ram's Head | 350 |
| A Weak Ram's Head | 351 |
| An English Southdown Ram | 352 |
| A Southdown Ewe | 353 |
| Southdown Rams at Ruakura Farm of Instruction | 353 |
| In the Month of August at Ruakura Farm of Instruction | 354 |
| The Lucerne-testing Plots at Ruakura | 356 |
| Haymaking at Weraroa Experimental Farm | 362 |
| Sprouting Seed Potatoes— | |
| The Sprouting-box used at Ruakura | 363 |
| Strong-eyed Tubers, any of which would make Good Sets | 364 |
| Weak-eyed Potatoes—Should be discarded | 365 |
| Uneven Shapes—Should not be planted | 366 |
| A Practical Motor-plough— | |
| The Latest Model of the Wyles Motor-plough | 368 |
| A New American Motor—The Detriot Motor-horse | 369 |
| Rows of Up-to-Date Potatoes in the Foreground and Rows of Gamekeeper at the Back | 370 |
| Cream-testing Scale | 372 |
| Ensilage— | |
| Erecting the All-steel Silo at Mr. Moynihan's Farm | 375 |
| The Concrete Foundation, viewed from within the Silo | 376 |
| Filling the Portable All-steel Silo at the Weraroa Experimental Farm by means of an American Cutter and Blower | 377 |
| How the Sections are bolted together | 378 |
| Silver-beet— | |
| The Milking Shorthorns at Sunnyside on Silver-beet | 381 |
| The Cattle eating the Beet as they go | 382–3 |
| The Dark-leaved Section of Mr. Curtis's Silver-beet Crop | 384 |
| Plain Dark-green Leaf with Broad Clear-white and Thick Midrib | 385 |
| Curled Dark-green Leaf with Broad Clear-white and Thick Midrib | 386 |
| Plain Pale-green Leaf with Broad Clear-white and Thick Midrib | 387 |
| Machinery for Grinding Limestone— | |
| Lightning Crusher and Pulverizer | 392 |
| A Sectional View showing the Internal Working-parts | 392 |
| Hardy Patent Pick Company's (Sheffield) "Devil Disintegrator" | 393 |
| Portable Crusher and Pulverizer | 393 |
| Types of Ayrshire Cattle— | |
| Dalmusternock White Blair | 394 |
| Fenwick Maggie | 394 |
| Residual Value of Manures: Plan of Swede-experiment Plots, Ruakura Farm of Instruction | 397 |
| The Department's Court at the Auckland Exhibition | 399 |
| Legume Nodules— | |
| Roots of Lupin-plants grown in Well-drained, Well-cultivated Soil | 405 |
| Roots of Lupin-plants grown in Undrained Sour Swamp Land | 405 |
| Soya-bean Plant grown in Inoculated Soil | 406 |
| Soya-bean Plant grown in Untreated Soil | 406 |
| *Pinus radiata* Plantations: Effect on Soil-fertility— | |
| The Lawn in the Foreground of the Picture was the Site of an old *Pinus radiata* Plantation | 410 |
| A Corner of the Garden made at Otekaike on the Site of a former Pine Plantation | 410 |
| Half-long White Virtus Turnip | 434 |
| The Improved Accommodation for Flax-mill Hands on the Motua Estate | 443 |
| An Auckland Vineyard: Frontispiece. | |
| Fencing— | |
| Some Necessary Tools | 455 |
| Walker's Patent Roller and Straining-irons | 456 |
| Special Chain | 456 |
| The Spindle | 457 |
| Method of Anchoring the Straining-post | 458 |
| The Rollers in Position | 459 |
| End Straining-post, showing Method of bracing and placing the First Battens | 460 |

Fencing—*continued.*
Page
Method of staying Corner-post .. .. .. .. .. 461
Centre Strainer .. .. .. .. .. .. .. 461
Manner of knotting Wire Ends together .. .. .. .. 462
Dairying Abroad—
Farmsteading, Model Farm, Broek, in Waterland .. .. .. 467
Cow-byre (Winter) at the Model Farm, Broek, in Waterland .. 470
The same Cow-byre (Summer) .. .. .. .. .. 471
A Portion of the Dairy Herd, Model Farm, Broek, in Waterland .. 474
Cherry-culture—
Werder's Early Black .. .. .. .. .. .. 482
Claremont .. .. .. .. .. .. .. 482
Bigarreau Napoleon .. .. .. .. .. .. 482
Black Eagle .. .. .. .. .. .. .. 484
Bedford Prolific .. .. .. .. .. .. 484
Late Duke .. .. .. .. .. .. .. 486
Black Tartarian .. .. .. .. .. .. 486
The Bigarreau Twyford .. .. .. .. .. .. 488
The Same Tree in Blossom .. .. .. .. .. 489
Grape-culture—
The Vineyard of Mrs. A. M. Randall, Greenmeadows, Hawke's Bay .. 499
The Vineyard of the Catholic Misson, Greenmeadows, Hawke's Bay .. 499
The Vineyard at the Waerenga Experimental Farm, Waikato .. 501
The Viticultural Section of the Arataki Experimental Farm, Hawke's Bay .. .. .. .. .. .. .. 501
The Vineyard of Mr. Bernard Chambers, Te Mata, Hawke's Bay .. 503
The Vineyard of Mr. B. Steinmetz, Greenmeadows, Hawke's Bay .. 505
The Cellar at Waerenga Experimental Farm .. .. .. 508
Training outdoor Grape-vines .. .. .. .. .. 510
The Poultry-yard: A Brooder-house, Front and Back View .. .. 527
The Apiary: The Alexander Feeder in Position .. .. .. 531
The Board of Agriculture — Members and Officials attending the first Meeting .. .. .. .. .. .. Frontispiece
The Hauraki Plains—
A Typical Marine Shore .. .. .. .. .. .. 566
View of the Piako River, showing "Purua Grass" (*Scirpus maritimus*) Formation in the Foreground .. .. .. .. .. 567
Laboratory Water-culture of *Scirpus maritimus* .. .. .. 568
Showing Logs unearthed in draining .. .. .. .. 569
White-pine and Manuka on Hauraki Plains .. .. .. .. 569
Flax and Raupo on Hauraki Plains .. .. .. .. 571
Mixed Scrub of Olearia, Toetoe, Cabbage-tree, &c. .. .. .. 571
A Fine Crop of Oats, showing also Typical Cabbage-tree Formation in the Distance .. .. .. .. .. .. 572
Oats growing on Virgin Land at Waikaka .. .. .. .. 573
Hemlock (*Conium maculatum*) .. .. .. .. .. 578
Fowl-pox: Head of Affected Fowl .. .. .. .. .. 585
The Potato-plots of Last Season at the Ruakura Farm of Instruction .. 592
A Weed-eradicator .. .. .. .. .. .. .. 596
Dynamics of Plough—
New-Zealand-pattern Single-furrow Lever Plough with Three Wheels and Circular Coulter .. .. .. .. .. .. 597
Cross-section of Furrow at Vertical Position .. .. .. 598
Cross-section of 11 in. by 6½ in. Furrows in Final Position .. .. 598
Force acting in Echelon, parallel to Beam .. .. .. .. 599
Various Illustrations demonstrating Application of Force to Plough 600–604
A Simple Derrick for filling Silo .. .. .. .. .. 611
Renovation of Peaches and Nectarines—
Tree before and after First Pruning .. .. .. .. 613
Second, Third, Fourth, and Fifth Years' Pruning .. .. .. 614
A Spreader for Lime .. .. .. .. .. .. 615
Cabernet Sauvignon, the Most-valued Wine-grape growing on Reparia Rupestris Stock at Waerenga Experimental Farm .. .. .. 618
Perennial Rye-grass Seed and Impurities—
Typical Short-seeded Old-pasture Rye-grass .. .. .. 621
Typical Long-seeded Maiden Rye-grass .. .. .. .. 621
Redressed Seconds, consisting of Terminal Seeds .. .. .. 621
Over-machined Rye-grass .. .. .. .. .. 621

Perennial Rye-grass Seed and Impurities—*continued.* Page
Shelled Rye-grass .. .. .. .. .. .. 623
Ergot Sclerotia .. .. .. .. .. .. .. 623
Goose-grass (*Bromus hordeaceus*), partly shelled .. .. .. 623
Goose-grass (*Bromus hordeaceus*) .. .. .. .. .. .. 623
Cheat (*Bromus secalinus*) .. .. .. .. .. 625
Sweet Vernal (*Anthoxanthum odoratum*) shelled and unshelled .. 625
Italian Rye-grass (*Lolium italicum*) .. .. .. .. 625
Large-seeded Danthonia (*Danthonia pilosa*) .. .. .. 625
Barley-grass (*Hordeum murinum*) .. .. .. .. .. 627
Floating Sweet-grass (*Glyceria fluitans*) .. .. .. .. 627
Hair-grass (*Festuca bromoides*) .. .. .. .. .. 627
Chewing's Fescue (*Festuca saburicola*) .. .. .. .. 627
Sheep's Fescue (*Festuca ovina*) .. .. .. .. .. 627
Meadow-fescue (*Festuca pratensis*) .. .. .. .. .. 628
Yorkshire Fog (*Holcus lanatus*) .. .. .. .. .. 628
Creeping Fog (*Holcus mollis*) .. .. .. .. .. 628
Rough-stalked Meadow-grass (*Poa trivialis*) .. .. .. .. 628
Smooth-stalked Meadow-grass (*Poa pratensis*) .. .. .. 628
Meadow-foxtail (*Alopecurus pratensis*) .. .. .. .. 628
Knee-joined Foxtail (*Alopecurus geniculatus*) .. .. .. 628
Cocksfoot (*Dactylis glomerata*) .. .. .. .. .. 628
Crested Dogstail (*Cynosurus cristatus*) .. .. .. .. 629
Timothy (*Phleum pratense*) .. .. .. .. .. 629
Canary-grass (*Phalaris bulbosa*) .. .. .. .. .. 629
Small Canary-grass (*Phalaris minor*) .. .. .. .. 629
European Hair-grass (*Aira praecox*) .. .. .. .. .. 629
Native Rush (*Juncus effusus*) .. .. .. .. .. 629
Toad-rush (*Juncus bufonius*) .. .. .. .. .. 629
Sedges (*Carex* sp.) .. .. .. .. .. .. 629
Alsike (*Trifolium hybridum*) .. .. .. .. .. 631
White Clover (*Trifolium repens*) .. .. .. .. .. 631
Hop-trefoil (*Trifolium procumbens*) .. .. .. .. 631
Suckling-clover (*Trifolium minus*) .. .. .. .. 631
Trefoil (*Medicago lupulina*) .. .. .. .. .. 631
Trefoil (*Medicago lupulina*) unhusked .. .. .. .. 631
Red Clover (*Trifolium pratense*) .. .. .. .. .. 631
Wild Melilot (*Melilotus arvensis*) .. .. .. .. .. 631
Hairy Buttercup (*Ranunculus sardous*) .. .. .. .. 633
Small-flowered Buttercup (*Ranunculus parviflorus*) .. .. .. 633
Creeping Buttercup (*Ranunculus repens*) .. .. .. .. 633
Swede (*Brassica Napus*) .. .. .. .. .. .. 633
Wild Turnip (*Brassica campestris*) .. .. .. .. .. 633
Catchfly (*Silene gallica*) .. .. .. .. .. .. 633
Australian Flax (*Linum marginale*) .. .. .. .. .. 633
Cut-leaved Cranesbill (*Geranium dissectum*) .. .. .. 633
Soft Cranesbill (*Geranium molle*) .. .. .. .. .. 635
Vetch (*Vicia angustifolia*) .. .. .. .. .. 635
Celery (*Apium graveolens*) .. .. .. .. .. 635
Catsear (*Hypochaeris radicata*) .. .. .. .. .. 635
Hawkbit (*Leontodon hirtus*) .. .. .. .. .. 635
Hawkweed (*Crepis capillaris*) .. .. .. .. .. 635
Ox-eye Daisy (*Chrysanthemum leucanthemum*) .. .. .. 635
Spear-thistle (*Carduus lanceolatus*) .. .. .. .. .. 637
Prickly Sowthistle (*Sonchus asper*) .. .. .. .. .. 637
Scarlet Pimpernel (*Anagallis arvensis*) .. .. .. .. 637
Spurrey (*Spergula arvensis*) .. .. .. .. .. 637
Field-madder (*Sherardia arvensis*) .. .. .. .. .. 637
Wild Forget-me-not (*Myosotis arvensis*) .. .. .. .. 637
Cut-leaved Plantain (*Plantago coronopus*) .. .. .. .. 637
Rib-grass (*Plantago lanceolata*) .. .. .. .. .. 637
Sorrel (*Rumex acetosella*), shelled and unshelled .. .. .. 639
Narrow-leaved Dock (*Rumex crispus*), shelled .. .. .. 639
Narrow-leaved Dock (*Rumex crispus*), unshelled .. .. .. 639
Broad-leaved Dock (*Rumex obtusifolius*) .. .. .. .. 639
Wireweed (*Polygonum aviculare*) .. .. .. .. .. 639
Smartweed (*Polygonum Persicaria*) .. .. .. .. 639
Egg-quality. A Typical Grade-note .. .. .. .. .. 655
Best-of-all Scarlet Runner at Moumahaki Experimental Farm .. .. 664